

HKC55 SAW SET PLUS TPC18 QUADRILL



HKC55 CIRCULAR SAW SET

- 18 tooth x 160mm blade
- 2 x 5Ah batteries
- charger

Perfect for rip & cross cuts up to 55mm

| 577443 **\$1,302**



QUADRILL TPC18/4 BASIC

- 4 metal gears
 - no load speed in 4th gear 3600 rpm
 - max impact rate 57600 bpm
 - torque adjustment
 - drilling capacity: wood/steel/brick
 - 70 / 13 / 10mm
 - in a systainer SYS GEN3
- Excl batteries and charger

| 575604 **\$638**

SPECIAL

HKC55 SAW SET PLUS TPC18 QUADRILL

Purchase both: **SAVE \$150** and receive BONUS Festool phone charger

~~\$1,840~~ HKC55SET_TPC18 **\$1,790**

BONUS

PHONE CHARGER WITH HKC55SET_TPC18 SET



| 577155 **\$126**

TSC55 SAW SET PLUS PSC420 JIGSAW



TSC55 KEB PLUNGE CUT SAW SET - 160MM CORDLESS

- 48 tooth x 160mm blade
- 2 x 5 Ah batteries
- duo charger
- dust catcher
- with kick back stop

Ideal for precise plunge cuts up to 55mm

| 577345 **\$1,686**



PSC420 CORDLESS BARREL GRIP

Power consumption: 18V
Cutting depth in wood: 120mm
Stroke rate: 1,500 - 3,800 min⁻¹
2 saw blades, Splinterguard
Battery and charger not included
Systainer

| 576521 **\$719**

SPECIAL

TSC55 SAW SET PLUS PSC420 JIGSAW

Purchase both: **SAVE \$415** and receive BONUS Festool phone charger

~~\$2,405~~ TSC55SET_PSC420 **\$1,990**

BONUS

PHONE CHARGER WITH TSC55SET_PSC420



| 577155 **\$126**

BONUS

Bonus 25 assorted blades for wood item 204275 valued at \$106



If blade set sold out may be replaced by 21 piece set

TPC18 & TID18 SET PLUS ISC240 INSULATING SAW



TID 18 / TPC 18 SET with batteries and charger

| 576999 **\$1,788**

CORDLESS QUADRIVE TPC18/4 DRILL & TID18 IMPACT DRIVER SET

Content:

- QUADRIVE TPC18/4 Drill
- TID18 Impact Driver
- TCL6 Rapid 6 Amp Charger
- 4Ah Battery
- 5.2Ah Battery
- Keyless Chuck
- Angle attachment
- Handle



ISC 240 Basic

| 576571 **\$870**

ISC 240 CORDLESS INSULATION SAW

- Standard version set up for fast cutting of flexible mineral & natural fibre insulation
- Standard Cutting Depth 240mm (Optional 350mm)
- Brushless EC-TEC Motor
- Perfectly Balanced
- Lightweight 2.5kg

Scope of delivery

SG-240/W-ISC serrated cutting set
Adaptor Table
Rail Slide
Systainer
EXCLUDES Battery & Charger

SPECIAL

TPC18 & TID18 SET PLUS ISC240 INSULATING SAW

Purchase both: **SAVE \$715** and receive BONUS Festool phone charger

~~\$2,658~~ TPC_TID_ISC240 **\$2,243**

BONUS

PHONE CHARGER WITH TPC_TID_ISC240



| 577155 **\$126**




MOBILE DUST EXTRACTOR

Ideal for cleaning on worksites, in workshops and in offices: with a container capacity of 25 l, the CLEANTEC CT 25 vacuums up dust, dirt and water. Its design allows the full container capacity to be used almost completely – for long periods of work without having to change the filter bag.

CT 25 E | 577534 **\$920**

- 3.5m hose / 7.5m cable
- Flat storage surface
- Cleaning kit included
- With HEPA filter
- Adjustable high power turbine
- Heavy duty, compact and stable design
- Touch control panel
- Main filter accessible from outside

SYSTAINER TOOL BAG: THE TOOL BAG IN SYSTAINER SIZE




SYS 3 T-BAG M
| 577501 **\$344**

- * Tidy storage of hand tools
- with multiple compartments
- The Toolbag provides clearly organised storage of tools and accessories
- Rugged design

- * Fits the Systainer system
- can be coupled to all Systainer generations and extractor surfaces that are Systainer compatible
- * 100% mobile
- from the workshop to the worksite with up to 20kg load capacity


FESTOOL BUILDER'S LEVEL



LEYSYS FT1
| 577220 **\$160**

- 354 x 12 x 26mm – fits inside Systainer handle
- horizontal and vertical bubble with +/- 1mm/m accuracy
- metric scale and inch scale
- durable solid aluminium profile

Made in Germany



EAR PROTECTION

GHS 25 I
| 577792 **\$354**

Professional Ear Protection system


Multifunctional ear protection permits listening to music and phone calls while relying on professional ear protection. Meets requirements of EU standard EN352.

Allows speech through – blocks noise out

Permits ambient noise and speech up to a safe volume of 76 dB. No need to remove the ear protection to talk to colleagues. Touch control.

Includes:

- charging case • USB charging cable
- 7 pairs of earplugs or various sizes (re-orderable separately)



CORDLESS MITRE SAW SYMMETRIC SYMC 70

SYMC 70 EB-Basic
| 577424 **\$1,752**

SYMMETRIC SYMC 70 permits precise cutting of boards and mouldings without calculations, and at double the speed of a compound mitre saw. The bevel records internal and external angles easily transferred to the symmetrical stop system. The rollers make the saw perfectly mobile combined with the portability of a battery system.

- * Symmetrical stop system
- for synchronous precise cuts internal angles up to 68°, 64mm cutting depth
- external angles up to 60°, 70mm cutting depth
- * No tripping hazards
- double battery system variable speed brushless EC-TEC motor

- * Low dust
- use optional dust catcher or Festool dust extraction 27/36mm
- * Easy to operate
- start interlock operates with one hand

includes:


- WOOD fine cut blade HW 216x2.3x30 W48
- precision adjustable square
- roller set, workpiece clamp, allen keys
- excludes batteries and charger

ENERGY SET

4AH ENERGY SET | 577106 **\$468**

perfect for use on the Symmetric 70

- TCL6 Duo charger
- with 2 x 4Ah batteries




LONG REACH SANDER PLANEX LHS 2-M

the all rounder for sanding work on walls and ceilings

LHS 2-M 225 EQ | 577356 **\$2,228**


- * Random orbital sanding motion
- * suction power adjustment
- * easy to transport
- * T handle for greater reach


includes: carry bag, hook and loop fasteners, plug-it power cable, hose clip sanding pad incl interface pad, interface pad with screws, abrasive disc



GRANAT 225MM ABRASIVES

- Standard GRANAT 25 packs from P40 to P320 | **\$81**
- Standard GRANAT 5 packs from P80 to P320 | **\$25**
- GRANAT NET 25 packs from P80 to P400 | **\$166**





Planex Easy Long Reach Sander LHS 225

- Interface Pad 215 mm
- Backing Pad 215 mm
- LHS carry bag

| 571937 **\$1,838**

BONUS 80 PCE TOOL KIT WITH PLANEX SETS

| FGCA18002 value **\$530**

PLANEX SETS

includes sander, tool holder, extractor

PLANEX EASY SET	PLANEX LHS 2-M 225 SET	PLANEX LHS 2-225 EQ SET
571937SET	577356SET	576700
\$3,698	\$3,988	\$4,458

SPECIALTY AUTOCLEAN DUST EXTRACTORS



CTM 36 E AutoClean Planex Dust Extractor

- Planex extractor now Dust Class M
- 350 W – 1,200 W

| 576753 **\$1,890**



36L AUTOCLEAN Dust Extractor | CTM 36 E AC Renofix

with AUTOCLEAN function, special application dust extractor for RenoFix grinders and diamond grinders

- suction hose Ø 36/32 x 3.5m
- self-cleaning filter bag
- Cleaning kit included

| 575849 **\$1,820**



RENOFIX GRINDER

RENOVATION GRINDER 230V

- powerful brushless EC Tec motor
- constant power without overheating
- virtually dust free when used with Festool extraction systems
- excludes grinding disk – select for appropriate substrate surface

RG130 ECI | 577049 **\$1,790**



Separator CT-VA

captures large quantities of dust and chips before entering the dust extractor

| 204083 **\$698**

SPECIAL

RENOFIX GRINDER plus RENOFIX extractor **\$3,610**

RENOFIX768017	For removal of: Hard old concrete, epoxy
RENOFIX768018	Fresh concrete, high sand content
RENOFIX769166	Very hard materials and concrete
RENOFIX204176	Paint finishes
RENOFIX768023	Thermoelastic materials

BONUS RECEIVE BONUS GRINDING DISK

value up to **\$487**



125 mm Diamond Cutting System DSC-AG 125

- ALL-D125mm Diamond Disc
- Dust extraction attachment DCC-AG125

| 201650 **\$956**

INCLUDES

800 mm FS Guide Rail



BONUS TOPTUL® 41 PIECE 1/4" DRIVE SOCKET AND BIT SET

| FGADW4101 value **\$135**

Includes:

- 13 Sockets 4 – 14mm
- 21 assorted bits (Slotted, Pozi, Phillips, Hex, Star, Square)
- Extension bar
- 50 & 100mm Spinner handle
- 36 tooth reversible ratchet handle
- Quick change bit holder
- Socket adaptor
- Universal joint



KA 65 EDGE BANDER



COMPLETE KA 65
Edgebander & Edge Trimming Set
| 574617 **\$5,925**



KA65 Edgebander in a Systainer
| 576578 **\$5,369**



Adaptor Plate AP-KA65
| 500175 **\$578**



**BONUS
ROLL BOARD
WITH 574617 KA 65
EDGE BANDER SET**
SYS-RB | 204869 **\$196**

Edge Trimming Set
Includes: edgebanding magazine, abrasives, trimming attachment (499896), sanding block, scraper, scratch protection base with 3 felts, polishing felt, polishing cloth, polishing agent In Systainer SYS 4 T-LOC

| 576834 **\$956**



MFT/3 CONTURO TABLE
with adaptor plate AP-KA 65, cross brace, in carton
| 500869 **\$1,870**



Adhesive 48 piece **\$250**
| 499812 natural
| 499813 white
| 200060 black

**BONUS TOOLBOX
WITH 495315 | 204865**



MFT 3 Multifunction Table
| 495315 **\$1,730**



MFT 3 Basic Model
Excludes accessories
| 500608 **\$1,360**

MODULAR LAMINATE TRIMMER

MFK 700 EQ/B
with ball bearing brake and chip deflector 8mm collet, operating tool in a SYSTAINER

| 576241 **\$940**

Optional with 8mm and 1/4" collet order

| 201603 **\$1,020**



Ultimate versatility: Set and mitre angles up to 60° both sides fast, bevel angle up to 47° or 46°, all with the precision of twin sliding rails.

Limitless mobility: Small, compact, lightweight with handles in all the right places for quick and easy set up and pack up.



Underframe with trimming attachments
| 202055 **\$1,229**

**BONUS
SPOTLIGHT AND BEVEL WHEN
205055 IS ORDERED WITH KS60 SAW
FOR BONUS ITEMS ORDER 561687SET**

COMPACT AND VERSATILE KAPEX KS60

The compact and lightweight design make it ideal for mobile use. Great application versatility; cutting boards and panels up to 305 x 60 mm, square timber up to 60 mm thick, or cutting skirting boards and cornices to precise angles – quick and easy.

KAPEX KS 60 TECH SPECS OVERVIEW	
Power consumption	1,200 W
Idle engine speed	1,300–3,500 rpm
Saw blade diameter	216 mm
Cutting depth: 90°/90°	305 × 60 mm
Cutting depth: 45°/90°	215 × 60 mm
Inclination angle	47°/46°
Mitre angle	60°/60°
Dimensions (W × D × H)	661 × 475 × 430
Weight	17.8 kg

216mm Sliding Compound Mitre Saw



KS 60 E | 561687
• HW universal saw blade W 36
• Clamp FSZ 120
\$1,980

**BONUS
UNIVERSAL BLADE
WITH KS60 SAW**



| 500124 **\$172**

OPTIONAL ACCESSORIES



Spot lighting SL-KS 60
| 500120 **\$105**



Bevel SM-KS
| 200127 **\$160**

GUIDE RAIL ACCESSORY SET



Included in the set:
• Mitre Guide FS-WA
• Set of 2 connectors FSV/2
• Deflector FS/2-AW
• Set of 2 clamps 120mm
• Set back stop FS-RSP
• Allen key combination 5mm / 3mm
• Systainer SYS 3 M137

9 Piece Set | 577157 **\$603**



SYSTAINERS
SYS3 ORGM 89
with 22 plastic inserts
SIZE: 396x296x89mm
| 204853 **\$166**



SYS TOOL BOX
SYS3 TB M137
| 204865 **\$112**

Corded 160mm Circular Saw
HK 55 | 576122

- 1200W
- Standard carbide saw blade W18
- Cutting depth 55mm
- In SYSTAINER

\$640

SPECIAL



Corded 230mm Circular Saw
HK 85 | 576148

- 1900W
- Standard carbide saw blade W24
- Parallel side fence
- Cutting depth 86mm
- In SYSTAINER SYS3 M237

\$1,430

**BONUS
500649 BLADE VALUE \$308
FOR ALUMINIUM PROFILES, FRP ETC
WITH HK85 SAW**



TS60K Plunge Cut Saw

TS60 KEBQ PLUS
Plunge Cut Saw
| 576723

\$1,294

- with unique kickback stop
- one saw for all
- like cutting through butter



SPECIAL

TS60 SAW & RAIL SET

- includes
- TS60K (image above)
 - FS1400 rail
 - FSK230 cross cut rail



| TS60KRAILSET **\$1,448**

75mm BELT SANDER SET



All purpose precision sander for work parallel to the grain. Coarse or fine, work in record time without swirl marks and rework. Perfect for smaller areas, flat surfaces on furniture.

BS 75E SET

Dust bag, extraction adaptor, P100 belt, stationary frame that converts sander to benchtop finisher, surface sanding frame, in a Systainer SYS MAXI

| 575772 **\$1,368**



BONUS ROLL BOARD



SYS-RB

| 204869 Value **\$196**

Technical Data	
Power consumption	1010 W
Belt Size	533 x 75 mm
Rated Belt Load	200 - 380 m/min
Dust Extraction Connection	27/36mm
Weight	4kg



Smooth touch down
with the sanding frame the belt sander can be positioned gently and securely. Does not tilt and is easy to guide.

ROTEX 3 IN 1 RANDOM ORBITAL SANDER



THE ROTEX PRINCIPLE

- ROTEX rotary motion for efficient material removal.
- Eccentric motion for high quality scratch-free surfaces.
- FastFix tool-less sanding pad system.
- Ergonomic grip Up-to-the-edge sanding with the Festool Protector



150 mm Ø ROTEX
In a Systainer

- ROTEX rotary motion speed: 320-660 min
- Eccentric motion speed: 3300-6800 min
- 2.3 kg

| 576019 **\$1,398**



125 mm Ø ROTEX
In a Systainer

- ROTEX rotary motion speed: 300-600 min
- Eccentric motion speed: 3000-6000 min
- 1.9 kg

| 576031 **\$1,198**



4 in 1 with Delta Pad

90 mm Ø + Delta + corner sander ROTEX
In a Systainer

- ROTEX rotary motion speed: 260-520 min
- Eccentric motion speed: 3500-7000 min
- 1.5 kg

| 576264 **\$1,178**



BONUS TOPTUL®

54 PIECE 1/4" RATCHETING OFFSET SCREWDRIVER AND BIT SET WITH ROTEX SANDERS

| FGAA15401

Value **\$113**

FESTOOL
festool.co.nz

Hindin Marquip Ltd
Auckland • Hamilton • Christchurch
for the nearest dealer
email: sales@hml.co.nz
website: www.hml.co.nz